

Electronic Acknowledgement Receipt

EFS ID:	7115552
Application Number:	10600298
International Application Number:	
Confirmation Number:	6671
Title of Invention:	Contraceptive transcervical fallopian tube occlusion devices and methods
First Named Inventor/Applicant Name:	Julian N. Nikolchev
Correspondence Address:	James Scheller, Esq. Blakely Sokoloff Taylor & Zafman LLP 1279 Oakmead Parkway - Sunnyvale CA 94085 US - -
Filer:	Jacob T. Aikin/Betty Scaletta
Filer Authorized By:	Jacob T. Aikin
Attorney Docket Number:	016355-002580US
Receipt Date:	01-MAR-2010
Filing Date:	20-JUN-2003
Time Stamp:	19:24:22
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	NPL Documents	6701P002XC4_JCooper-RHouck_CH33StudyProtocol.PDF	2222192	no	17
			0d251fd7a0df1d0252d56910e39af16dab014220		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

2	NPL Documents	6701P002XC4_JMCooper.PDF	1333824	no	18
			1d053db0f6106765b1d423da0d770f2fb262085c		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

3	NPL Documents	6701P002XC4_Leonard.PDF	386531	no	5
			e0ec4ec5f727cfc0f3c0e41dd8869dde8ed294f		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

4	NPL Documents	6701P002XC4_Luukkainen.PDF	924130	no	10
			711c6736ea5fb3b4e36c1cd05ba0c8e1d0603d7		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

5	NPL Documents	6701P002XC4_Malinak.PDF	1152680	no	8
			7f288435ffe64cff07fd22d42e98e6ac3454cc2		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

6	NPL Documents	6701P002XC4_Manganiello.pdf	416979	no	5
			d1643471756084c94ef969a126a951e462ce44fe		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

7	NPL Documents	6701P002XC4_MedicalNews.PDF	883805 070d59e689549ce9d1159594f773a71e39e095ae	no	3
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
8	NPL Documents	6701P002XC4_Neuwirth_HysteroscopicSterilization.PDF	1445289 f6d1bdc8accb951480cf53272236159e5cf97b82	no	11
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
9	NPL Documents	6701P002XC4_Quinones-Tubal.PDF	1325003 02cd26c92d25a8360ec95ba582a79abc7c76d834	no	14
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
10	NPL Documents	6701P002XC4_RHouck-JCooper_Hysteroscopic.PDF	462738 de73e5e5f60f6104f20a4151320d0449f4c7c946	no	5
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
11	NPL Documents	6701P002XC4_RNeuwirth_HysteroscopicTubal.PDF	1246827 70f2621893bb5a15781c1b2732d0970f8aab7427	no	5
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
12	NPL Documents	6701P002XC4_Schmitz-Rode_NovDec.PDF	747871 cceae8ee530386898f0bd539e273899efcd1b014	no	6
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
13	NPL Documents	6701P002XC4_Sciarra-26.PDF	1122052 e76c845384b6f0f0f4b69f3179c983623fa2c0b7	no	20
Warnings:					

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

14	NPL Documents	6701P002XC4_Sugimoto.PDF	2083536	no	16
			4126a876ec2941737f9bd1f1d1188459ae2437a3		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

15	NPL Documents	6701P002XC4_Swope.PDF	752067	no	10
			0a66b99ab9fc2d503009b410e7d30d6debaebd5c		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

16	NPL Documents	6701P002XC4_TheodoreReed.PDF	595344	no	5
			31c9ec1e37bdcbee0161742ffe565e96b11e4c1bb		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

17	NPL Documents	6701P002XC4_Thompson.PDF	2626324	no	17
			1411653aeedb1f195db673a7ba992d2fe4a232b63		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

18	NPL Documents	6701P002XC4_Hologic_FirstAmendedInvalidityContentions.pdf	1844489	no	31
			22c55d12098718297f1c1ca5e80c43ed1ed7403a0		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

19	NPL Documents	6701P002XC4_HOLOGIC_INVALIDITY_CONTENTIONS.pdf	4035011	no	70
			50332143a819f4b52509272591ffaba941a25b90		

Warnings:

The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing

Information:

20	NPL Documents	6701P002XC4_VRimkus-KSemm.PDF	2395135 56bff8aee4fefab287d3d9c57e78138ecd185f63	no	6
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
21	NPL Documents	6701P002XC4_Zipper.PDF	570959 b609b9bd61459434aac7b45540aa8573fb4ad095	no	7
Warnings:					
The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing					
Information:					
22	Transmittal Letter	6701P002XC4_IDS-2_LTR_03-01-10.pdf	20599 40ffa68e03cd61a35887210654a7c570969969b	no	2
Warnings:					
Information:					
23	Information Disclosure Statement (IDS) Filed (SB/08)	6701P002XC4_IDS-2_SB08_03-01-10.pdf	58674 4f3b54152ec0b6f8b6d10a1448cf74b98aecd963	no	2
Warnings:					
Information:					
This is not an USPTO supplied IDS fillable form					
Total Files Size (in bytes):			28652059		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					